Sheet Page 1 of 3

F	Orm PTO-1449 INFORMA		DISCLOSURE CITA	TION		cket Number (Optional) SA-023.01(20974-2301)		Appl: 09/88	ication Number 38,056	E CEIV	VF
	3C61 3700	SO YE	N APPLICATION eral sheets if necessary)			plicant rnman & Duff				MAR 0.5	2000
14	" —	RAGE			Fil	ing Date		Grou	p Art Unit TECH (70 4 2	2002
(9	- 2 -	E.				ne 22, 2001 J.S. PATENT DOCUMENTS		1045	ILUNI	ENIER 16	00/29
	EXAMINER		OCUMENT NUMBER	DATI	Е	NAME	CLA	SS	SUBCLASS	FILING DA	
•	JF	AA	US 6,063,630	05/16/0	00	Treco et al.	435	5	463		
า		AB	US 6,204,062 B1	03/20/0	01	Ratner	435	5	463		
3		AC.	US 5,686,246	11/11/	97	Kornman et al.	435	5	6		
41		ΑÐ	US 5,698,399	12/16/9	97	Duff et al.	435	5	6		
5	V	A.E	US 6,140,047	10/31/0	00	Duff et al.	435	5	6		
6	JF	AF	US 6,210,872 B1	04/03/0	01	Hosaki et al.	430)	631		
[]	FOR	EIGN PATENT DOCUMENT	s		·		
		D	OCUMENT NUMBER	DATI	E .	COUNTRY	CLA	SS	SUBCLASS	Translatio YES	on NO
.Z	JF	AG	WO 00/08492	02/17/0	00	РСТ				English Abstract on first page	x
18	JF	AH	WO 01/00880 A2	01/04/		PCT	<u></u>				
			OT	HER DO	CUI	MENTS			r, Title, Date, Per		
4	JF	ΑI	Journal of Medicine, 333	(14):894-9	00, (O					, The New Eng	jand
10	-	AJ				Patogenesis of Periodontis", Periodontology					
#	-	AK	Ahmed et al.; "Major Hi Enteropathy", J. Exp. Me	stocompati d. 178 : 20	bility 67-20	Complex Susceptibility Genes for Dermatitis 75, (1993)	Herpetiforn	nis Com	pared with Those	for Gluten-sens	sitive
12	-	AL	Dinarello A. Charles; " I	nterleukin-	l", Re	view of Infectious Disease, 6(1): 51-95, (Jan	uary-Februa	ıry, 1984)		
13		АМ	Molvig et al.; "Endotoxii Stable Interindividual Di	n-Stimulate	d Hur Scan	nan Monocyte Secretion of Interleukin 1, Tui d. J. Immunol. 27: 705-716, (1988)	mour Necro	sis Facto	r Alpha, and Pros	taglandin E ₂ Sh	nows
4		AN	by Lipopolysaccharide",	Scand. J. I	mmun						
15	-	AO	Messer et al.; "Polymon Gene Correlates with a V 1991)	hic Structu ariant Ami	ire of ino Ac	the Tumor Necrosis Factor (TNF) Locus: An aid in Position 26 and a Reduced Level of TNI	Ncol Polym F-β Produc	orphism tion", J.	in the First Intro Exp. Med., 173:	n of the Human 209-219, (Janua	TNF-β ary
it		AP				Failure of Self Tolerance", 248: 1380-1388,					
17	- V	ΑQ	to Genetic Predisposition	to System	atic L	atibility Complex class II- Associated Differer upus Erythematosus", Proc. Natl. Acad Sci. U	ISA, 87: 123	33-1237,	(February 1990)		_
18	JF	AR	Marsh et al.; "Linkage A 1152-1156, (May 20, 19		IL4 ar	nd Other Chromosome 5q31.1 Markers and To	otal Serum I	mmunog	globin E. Concent	rations", Scienc	e 264:

20/492423.1

PATENTAL STATE OF THE STATE OF	AT AU	Wiilson et al.;" An Allelic Polymon and DR3 Allleles", J. Exp. Med. 17 Happle and Hoffman; "Cytokine Pa Ophthalmology, 104(5): 14S-15S, (phism within the Human Tumor Necrosis Factor of 7: 557-560, (February 1993) atterns in Allopecia Areata Before and After Topi May 1995)	Group Art Unit 1600/2 Group Art Unit 1600/2 bility to Cerebral Malaria", Nature 371: 508-511, (Octoor Promoter Region is Strongly Associated with HLA A1.
PATE OF THE PATE O	AT AU	Wiilson et al.;" An Allelic Polymorn and DR3 Allleles", J. Exp. Med. 17 Happle and Hoffman; "Cytokine Po Ophthalmology, 104(5): 14S-15S, (Wilson et al.; "Comparative Genetic	Filing Date June 22, 2001 NF-\alpha Promoter Region Associated with Susception ohism within the Human Tumor Necrosis Factor of the state of the st	bility to Cerebral Malaria", Nature 371: 508-511, (Octo α Promoter Region is Strongly Associated with HLA A1.
	AT AU	Wiilson et al.;" An Allelic Polymorn and DR3 Allleles", J. Exp. Med. 17 Happle and Hoffman; "Cytokine Po Ophthalmology, 104(5): 14S-15S, (Wilson et al.; "Comparative Genetic	June 22, 2001 NF-α Promoter Region Associated with Susception ohism within the Human Tumor Necrosis Factor α 7: 557-560, (February 1993) atterns in Allopecia Areata Before and After Topi May 1995)	bility to Cerebral Malaria", Nature 371: 508-511, (Octo α Promoter Region is Strongly Associated with HLA A1.
	AT AU	Wiilson et al.;" An Allelic Polymorn and DR3 Allleles", J. Exp. Med. 17 Happle and Hoffman; "Cytokine Po Ophthalmology, 104(5): 14S-15S, (Wilson et al.; "Comparative Genetic	NF-α Promoter Region Associated with Susception onlish within the Human Tumor Necrosis Factor of 7: 557-560, (February 1993) atterns in Allopecia Areata Before and After Topi May 1995)	α Promoter Region is Strongly Associated with HLA A1
	AU	and DR3 Allleles", J. Exp. Med. 17 Happle and Hoffman; "Cytokine Pr Ophthalmology, 104(5): 14S-15S, (Wilson et al.; "Comparative Genetic	7: 557-560, (February 1993) atterns in Allopecia Areata Before and After Topi May 1995)	
- 1/7	AV	Ophthalmology, 104(5): 14S-15S, (Wilson et al.; "Comparative Geneti	May 1995)	cal Immunotherapy", The Journal of Investigative
	^V	Wilson et al.; "Comparative Geneti		
		penionia , s. in esa penimon	c Association of Human Leukocyte Antigen Clas 104: 856-858, (1995)	s II and Tumor Necrosis Factor-Alpha with Dermatitis
	AW	318-323, (1995)		Cytokines in Patients with Sepsis Syndrome", Shock 4(
	AX	(1993)		mour Necrosis Factor-Alpha", Clin. Exp. Immunol. 92:
	AY	Wilson et al.; "A Genetic Associati (1994)	on Between Systemic Lupus Erythematosus and	Tumor Necrosis Factor Alpha", Eur. J. Immunol. 24:191
	AZ	Chaim O. Jacob, "Turnor Necrosis	Factor α In Autoimmunity: Pretty Girl or Old Wit	tch?", Immunology Today 13(4): 122-125, (1992)
	ВА	Ancestral Haplotypes", Immunoger	netics 35: 355-364, (1992)	or Generalized Myasthenia Gravis by Mapping Recombi
	вв	37: 500-503, (1994)		mour Necrosis Factor Alpha wit Human IDDM", Diabe
	вс	α aand TNF-β by Human Mononuc	:lear Cells: A Possible Link to Insulin-Dependent	ocompatibility Complex Alleles with the Secretion of T Diabetes Mellitus", Eur. J. Immunol. 23: 224-231, (199
	BD	:		g to Chromosome 5", Genomics 23: 464-470, (1994)
	BE	1996)		Clinical Immunilogy and Immunopathology, 80(3): 225-
ş: []	BF	Cork et al.; "Genetic control of Cy	tokines", Dermatologic Clinics, 14(4): 671-678, (October 1996)

Cox et al.; "An Analysis of Linkage Disequilibrium in the Interleukin-1 Gene Cluster, Using a Novel Grouping Method for Multiallelic Markers", Am. J. Hum. Genet. 62: 1180-1188, (1998)

Mansfield et al.; "Novel Genetic Association Between Ulcerative Colitis and the Anti-Inflammatory Cytokine Interleukin-1 Receptor Antogonist", Gastroenterology 106: 637-642, (1994)

JF

вн

ві

m PTO-1449 INFORMATION DISCLOSURE CITATION	Docket Number (Optional)	Application Number O9/888,056 MAR 0 5 20 Group Art/First 1645			
IN AN ADDITION	MSA-023.01(20974-2301)	05/000,000			
JC Gy so several sheets if necessary)	Applicant MAP a				
E S	Kornman & Duff	Group Arthurst			
5 ⁽²⁾ (2)	Filing Date	1645 ATTOMORE			
- 6 1	June 22, 2001	ase Severity Factor in Systemic Lupus Erythernaldsus 30			
Clay et al.; "Novel Interleukin-1 Ro 723-726, (1996)	eçeptor Antagonist Exon Polymorphisms and the	eir Use in Allele-Specific mRNA Assessment", Hum. Gen			
BM Hypothalamic-Pituitary-Adrenal As	kis and Sympathetic Nervous System, Brain Re				
ВИ		mia and Sepsis", Am. J. Physiol. 274: R956-R962, (1998)			
BO Annals of Surgery 226(1): 77-84, (1997)	sine and Eicosanoid Levels to Develop in Severe Sepsis",			
BP 374, (1996)		with Nephropathy in Diabetes Mellitus", Hum. Genet. 97			
B Q		ith Lichen Sclerosus", Hum. Genet. 94: 407-410, (1994)			
BR (September 1997)		n of Continuing Education in Dentistry, 18(9): 881-891,			
JF BS Komman KS et al.; "The Interleul	cin-l Genotype as a Severity Factor in Adult Per	iodontal Disease", J. Clin. Periodontol. 24:72-77, (1997)			
/Jeffrey		04/27/2006			
		EP § 609; Draw line through citation if not in			